

# Petrol Power Cutter

## EK6100

61 cm<sup>3</sup> • 3 200 W • 305 mm

### Cutter for construction and rescue operations

A light but powerful cutter with a two-stroke engine for applications such as construction and rescue operations. The max. cutting depth is 110 mm.



### Technical specifications

Engine Speed at Max. Power	3,2 kW
Engine	✓
Displacement	60,7 cc
Fuel Tank Capacity	0,7 L
Max. Peripheral Speed	80 m/s
Max. Depth of Cut	110 mm
Bore Size (Arbor Diameter)	20 mm
Grinding Disc Diameter	305 mm
Sound Power Level (L <sub>WA</sub> )	113 dB(A)
Sound Pressure Level (L <sub>pA</sub> )	97 dB(A)
Noise Uncertainty (K Factor)	2,5 dB(A)
Vibration Level (3 axes) at Front Handle	2,8 m/s <sup>2</sup>
Vibration Level (3 axes) at Rear Handle	3,8 m/s <sup>2</sup>
Vibration Uncertainty (K Factor)	2,0 m/s <sup>2</sup>
Product net weight	8,5 kg
Product Dimensions (L x W x H):	675 x 255 x 362

**EAN 4002829801635**

Link to product - [www.makita.com](http://www.makita.com)

### User benefits

- Cutter for construction and rescue work.
- Air flushing engine, lower fuel consumption and lower emissions.
- Light start function
- Pre-cleaning the intake air extends the service interval of the filter



# Related products

■ Other

Parts drawing